

UNIQUE PLASTER



Unique interior and exterior decorative mouldings
www.uniqueplaster.com.au Email: sales@uniqueplaster.com.au



DOMES

Ready made Domes are an inexpensive way of making a great statement of your ceiling.

They come in circular or oval shapes with or without a decorative band around the perimeter.

Light pelmets can also be incorporated.

Special Domes of all sizes can be made to your specifications.



PLEASE NOTE:

All dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable.

CORNICES



U2
C125 mm
W170 mm



U4A
C200 mm
W210 mm



U7
C65 mm
W110 mm




U3
C120 mm
W140 mm



U4B
C160 mm
W180 mm



U8
C90 mm
W70 mm



U4
C220 mm
W240 mm



U4C
C110 mm
W140 mm



U9
C105 mm
W110 mm



U5
C130 mm
W110 mm




U10
C165 mm
W95 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES




U12
C225 mm
W105 mm



U21
C80 mm
W80 mm




U33
C350 mm
W120 mm



U13
C200 mm
W120 mm



U24
C350 mm
W130 mm



U34
C140 mm
W115 mm



U14
C200 mm
W105 mm



U26
C195 mm
W125 mm



U35
C65 mm
W90 mm



U16
C110 mm
W100 mm



U27
C190 mm
W95 mm



U36
C170 mm
W100 mm



U17
C195 mm
W100 mm



U28
C125 mm
W105 mm



U38
C95 mm
W120 mm



U19
C80 mm
W105 mm



U31
C100 mm
W105 mm



U39
C55 mm
W125 mm



U20
C60 mm
W110 mm



U32
C105 mm
W90 mm



U40
C100 mm
W100 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES



U41
C115 mm
W95 mm



U49
C230 mm
W110 mm



U55
C170 mm
W175 mm



U42
C100 mm
W100 mm



U50
C105 mm
W105 mm



U56
C260 mm
W115 mm



U43
C85 mm
W80 mm



U51
C155 mm
W150 mm



U58
C115 mm
W115 mm




U44
C150 mm
W120 mm




U52
C155 mm
W125 mm




U59
C165 mm
W140 mm



U45
C90 mm
W90 mm



U53
C195 mm
W160 mm




U61
C110 mm
W110 mm



U47
C70 mm
W140 mm



U62
C120 mm
W70 mm



U48
C120 mm
W165 mm



U54
C175 mm
W140 mm



U64
C265 mm
W90 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES



U65
C200 mm
W75 mm



U72
C105 mm
W85 mm



U79
C270 mm
W110 mm



U66
C185 mm
W90 mm



U73
C50 mm
W115 mm



U81
C125 mm
W100 mm



U67
C75 mm
W160 mm



U74
C70 mm
W155 mm



U82
C90 mm
W190 mm



U68
C105 mm
W75 mm




U75
C195 mm
W80 mm



U83
C150 mm
W275 mm



U69
C195 mm
W100 mm



U76
C255 mm
W85 mm



U84
C95 mm
W80 mm



U70
C90 mm
W90 mm



U77
C200 mm
W100 mm



U85
C150 mm
W140 mm



U71
C180 mm
W75 mm




U78
C115 mm
W95 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES



U86
C130 mm
W160 mm

U92
C250 mm
W110 mm

U99
C85 mm
W90 mm

U87
C200 mm
W160 mm

U93
C180 mm
W170 mm

U100
C95 mm
W80 mm

U87A
C200 mm
W170 mm

U94
C180 mm
W90 mm

U101
C165 mm
W140 mm

U88
C225 mm
W135 mm

U95
C105 mm
W95 mm

U102
C130 mm
W95 mm

U89
C95 mm
W90 mm

U96
C110 mm
W100 mm

U103
C135 mm
W140 mm

U90
C260 mm
W160 mm

U97
C115 mm
W80 mm

U104
C75 mm
W50 mm

U98
C190 mm
W80 mm

U105
C150 mm
W115 mm

U106
C150 mm
W115 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall


CORNICES



U107
C160 mm
W140 mm



U115
C155 mm
W115 mm




U122
C110 mm
W105 mm



U108
C105 mm
W65 mm



U116
C220 mm
W180 mm



U122A
C115 mm
W115 mm



U109
C200 mm
W78 mm



U117
C160 mm
W150 mm



U123
C160 mm
W140 mm



U110
C100 mm
W75 mm



U118
C65 mm
W190 mm



U124
C70 mm
W70 mm




U111
C140 mm
W155 mm




U125
C100 mm
W85 mm




U112
C75 mm
W75 mm




U119
C95 mm
W100 mm



U126
C95 mm
W75 mm




U113
C90 mm
W65 mm



U120
C105 mm
W115 mm



U127
C50 mm
W50 mm



U114
C70 mm
W115 mm



U121
C95 mm
W100 mm



U128
C115 mm
W120 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES

U129
C210 mm
W235 mm



U136
C70 mm
W105 mm



U143
C60 mm
W100 mm




U137
C170 mm
W150 mm



U144
C90 mm
W75 mm



U130
C130 mm
W150 mm



U145
C215 mm
W180 mm




U131
C150 mm
W150 mm




U138
C200 mm
W160 mm




U146
C175 mm
W200 mm



U132
C120 mm
W105 mm



U139
C110 mm
W110 mm



U133
C230 mm
W165 mm



U140
C130 mm
W90 mm




U147
C100 mm
W100 mm



U134
C55 mm
W125 mm



U141
C95 mm
W215 mm



U148
C80 mm
W160 mm



U135
C95 mm
W140 mm



U142
C30 mm
W40 mm



U150
C170 mm
W150 mm



Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES



U151
C350 mm
W120 mm



U160
C75 mm
W75 mm




U166A
C200 mm
W145 mm




U152
C120 mm
W120 mm



U161
C120 mm
W90 mm



U167
C285 mm
W150 mm



U153
C270 mm
W150 mm



U162
C125 mm
W85 mm



U168
C200 mm
W155 mm




U163
C80 mm
W130 mm



U169
C150 mm
W260 mm



U154
C55 mm
W55 mm



U164
C170 mm
W145 mm



U171
C290 mm
W90 mm



U155
C110 mm
W90 mm



U165
C135 mm
W135 mm



U172
C140 mm
W120 mm



U158
C50 mm
W50 mm



U159
C65 mm
W45 mm



U166
C200 mm
W145 mm



U173
C130 mm
W130 mm

Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CORNICES



U174
C160 mm
W120 mm




U185
C60 mm
W60 mm



U198
C140 mm
W120 mm




U175
C60 mm
W135 mm



U186
C80 mm
W80 mm



U199
C120 mm
W165 mm




U176
C95 mm
W110 mm



U189
C120 mm
W150 mm



U200
C140 mm
W130 mm



U177
C110 mm
W100 mm



U190
C120 mm
W130 mm



U201
C150 mm
W170 mm



U179
C100 mm
W100 mm



U192
C140 mm
W80 mm



U203
C90 mm
W90 mm



U180
C55 mm
W100 mm



U193
C80 mm
W120 mm



U204
C70 mm
W105 mm



U181
C120 mm
W100 mm




U196
C100 mm
W65 mm



U205
C195 mm
W150 mm



U182
C95 mm
W120 mm



U197
C100 mm
W180 mm



U206
C150 mm
W120 mm



U207
C150 mm
W120 mm


Please Note: All Dimensions on cornices are suggestive only. Onsite checking before installation is highly advisable

C = Ceiling W = Wall

CEILING ROSETTES



UR1
250 mm




UR2
1350 mm x 800 mm



UR3
245 mm



UR4
625 mm



UR5
940 mm x 540 mm



UR6
540 mm




UR7
620 mm



UR8
330 mm



UR9
330 mm



UR10
960 mm x 600 mm



UR11
300 mm



UR12
870 mm



UR13
960 mm




UR14
360 mm



UR15
710 mm

CEILING ROSETTES



UR16
775 mm




UR17
432 mm



UR18
750 mm

UR19
1010 mm



UR20
900 mm x 670 mm



UR21
730 mm x 560 mm

UR22
580 mm x 430 mm



UR23
1100 mm



UR24
535 mm



UR25
750 mm



UR26
575 mm



UR27
432 mm



UR28
870 mm



A26
295 mm



UR29
650 mm



UR30
460 mm

CEILING ROSETTES



UR31
650 mm



UR32
550 mm



UR33
650 mm



UR34
550 mm




UR35
650 mm



UR36
550 mm



UR37
750 mm



UR39
1200 mm x 900 mm



UR40
400 mm



UR41
800 mm



UR42
350 mm



UR43
700 mm x 450 mm




UR45
550 mm



UR46
650 mm



UR47
320 mm



UR48
760 mm x 580 mm



UR49
400 mm

CEILING ROSETTES




UR51
500 mm



UR52
750 mm



UR53
760 mm



UR59
350 mm x 870 mm



UR54
750 mm



UR55
620 mm




UR56
610 mm



UR57
520 mm



UR58
980 mm



UR60
1180 mm x 700 mm



UR62
510 mm




UR63
570 mm



UR64
580 mm



UR61
870 mm



UR84
1960 mm x 1280 mm

CEILING ROSETTES



UR65
590 mm



UR66
610 mm



UR67
620 mm



UR68
630 mm



UR69
600 mm



UR70
650 mm



UR71
700 mm




UR72
730 mm



UR73
950 mm



UR74
1006 mm



UR75
1100 mm



UR76
1200 mm

CEILING ROSETTES



UR78
1100 mm x 550 mm



UR79
475 mm



UR80
600 mm



UR81
570 mm



UR82
890 mm



UR85
460 mm



UR86
870 mm



UR87
920 mm



UR88
790 mm x 530 mm



UR89
620 mm x 460 mm



UR90
605 mm



UR91
710 mm



UR92
745 mm



UR93
605 mm x 420 mm

CEILING ROSETTES



UR94
440 mm x 320 mm



UR95
405 mm x 405 mm




UR101
1000 mm



UR97
530 mm x 335 mm



UR96
1240 mm



UR98
820 mm x 440 mm



UR99
915 mm x 530 mm



UR103
610 mm



UR104
615 mm



UR100
1240 mm x 840 mm



UR105
610 mm

CEILING ROSETTES



UR107
570 mm



UR110
520 mm



UR118
600 mm



UR119
390 mm



UR120
460 mm



UR121
415 mm




UR122
420 mm



UR123
340 mm




UR124
315 mm



UR125
325 mm



UR126
265 mm



UR129
780 mm



UR130
1160 mm



UR131
1200 mm

CORBELS

WIDTH X DEPTH X HEIGHT




UC1
100 x 76 x 117 mm



UC2
100 x 95 x 170 mm



UC3
125 x 95 x 165 mm



UC4
135 x 130 x 205 mm



UC5
125 x 90 x 215 mm



UC7
165 x 55 x 160 mm



UC8
185 x 110 x 210 mm



UC9
172 x 125 x 305 mm



UC10
185 x 100 x 340 mm



UC11
210 x 85 x 230 mm



UC12
170 x 95 x 230 mm



UC13
160 x 95 x 155 mm



UC15
150 x 160 x 295 mm



UC16
230 x 123 x 314 mm



UC17
105 x 100 x 225 mm



UC18
185 x 80 x 340 mm



UC19
305 x 127 x 400 mm



UC20
275 x 95 x 375 mm



UC21
260 x 160 x 460 mm



UC22
272 x 140 x 410 mm



UC23
135 x 120 x 565 mm



UC24
280 x 245 x 750 mm



UC25A
260 x 130 x 230 mm



UC26A
405 x 260 x 245 mm

WIDTH X DEPTH X HEIGHT

CORBELS



UC26
500 x 200 x 255 mm



UC28
180 x 65 x 155 mm



UC30
320 x 185 x 310 mm



UC32
120 x 62 x 190 mm



UC33
145 x 70 x 145 mm



UC38
180 x 110 x 295 mm



UC39
170 x 100 x 215



UC40
240 x 80 x 305



UC42
165 x 60 x 200



UC43
130 x 57 x 134



UC44
65 x 50 x 110



UC45
250 x 130 x 460



UC46
280 x 135 x 610



UC47
215 x 50 x 155



UC48
140 x 75 x 150



UC49
275 x 50 x 180



UC51
180 x 120 x 190



UC53
155 x 110 x 240



UC54
435 x 165 x 465



UC55
400 x 350 x 65



UC56
185 x 60 x 210




UC57
195 x 140 x 530



UC58
235 x 395 x 470

EMBELISHMENTS



VENTS



UV1
195 mm x 195 mm




UV2
260 mm x 180 mm



UV3
255 mm x 180 mm



UV4
305 mm x 230 mm



UV5
280 mm x 205 mm



UV6
295 mm x 185 mm



UV7
300 mm x 235 mm



UV8
330 mm x 195 mm



UV9
345 mm x 215 mm



UV10
345 mm x 270 mm



UV11
285 mm x 210 mm



UV12
360 mm x 210 mm



UV13
330 mm x 185 mm



UV14
295 mm x 220 mm



UV15
310 mm x 155 mm



UV16
285 mm x 180 mm




UV17
280 mm x 180 mm



UV18
335 mm x 195 mm



UV19
240 mm x 240 mm



UV21
265 mm x 200 mm



UV22
270 mm x 220 mm



UV23
290 mm x 150 mm




UV24
310 mm x 145 mm



UV25
300 mm x 200 mm



UV26
290 mm x 215 mm



UV27
410 mm x 210 mm



UV28
305 mm x 305 mm



UV29
360 mm x 360 mm

BANDS



US1 220 mm x 20 mm



US2 195 mm x 30 mm



US4 155 mm x 18 mm



US5 122 mm x 30 mm




US10 114 mm x 24 mm




US11 95 mm x 30 mm



US12 96 mm x 24 mm



US13 75 mm x 18 mm



US14 65 mm x 23 mm



US15 80 mm x 23 mm



US17 75 mm x 18 mm



US18 85 mm x 25 mm



US19 80 mm x 18 mm



US20 85 mm x 25 mm




US21 110 mm x 30 mm



US22 57 mm x 30 mm



US23 70 mm x 40 mm



US24 65 mm x 35 mm



US25 42 mm x 25 mm



US26 65 mm x 28 mm



US27 50 mm x 35 mm



US28 55 mm x 30 mm



US29 55 mm x 25 mm



US30 60 mm x 30 mm



US32 55 mm x 25 mm



US33 35 mm x 30 mm



US35 65 mm x 25 mm



US36 65 mm x 20 mm



US37 55 mm x 15 mm



US38 50 mm x 15 mm



US39 45 mm x 20 mm



US40 40 mm x 22 mm



US41 47 mm x 16 mm



US42 53 mm x 14 mm




US43 45 mm x 15 mm



US44 35 mm x 14 mm

BANDS



US45 35 mm x 12 mm



US46 35 mm x 15 mm



US47 30 mm x 20 mm



US48 65 mm x 33 mm



US51 32 mm x 14 mm



US52 25 mm x 15 mm



US53 30 mm x 13 mm



US56 30 mm x 15 mm



US57 25 mm x 15 mm



US58 20 mm x 10 mm



US59 17 mm x 6 mm




US62 35 mm x 29 mm



US63 60 mm x 25 mm



US64 60 mm x 27 mm



US65 45 mm x 15 mm



US67 30 mm x 30 mm



US68 18 mm x 10 mm



US69 16 mm x 10 mm



US70 19 mm x 10 mm



US73 100 mm x 20 mm



US74 120 mm x 22 mm



US75 110 mm x 48 mm



US77 65 mm x 25 mm



US78 75 mm x 40 mm



US79 130 mm x 13 mm



US80 65 mm x 25 mm



US81 80 mm x 15 mm



US82 35 mm x 15 mm



US83 55 mm x 16 mm



US84 55 mm x 25 mm



US85 50 mm x 30 mm



US87 75 mm x 30 mm



US88 70 mm x 12 mm



US89 60 mm x 25 mm



US90 50 mm x 20 mm



US91 110 mm x 80 mm



US92 140 mm x 70 mm



US93 40 mm x 17 mm

CORNERS



UK1
370 mm x 370 mm



UK2
330 mm x 330 mm



UK3
240 mm x 240 mm



UK5
270 mm x 260 mm



UK6
310 mm x 310 mm



UK7
280 mm x 280 mm



UK8
340 mm x 310 mm



UK9
280 mm x 300 mm



UK10
340 mm x 340 mm



UK11
280 mm x 280 mm



UK12
330 mm x 330 mm



UK13
230 mm x 230 mm



UK14
220 mm x 220 mm



UK15
190 mm x 190 mm



UK16
335 mm x 335 mm



UK17
400 mm x 400 mm



UK18
280 mm x 280 mm



UK19
395 mm x 395 mm



UK20
210 mm x 210 mm



UK21
210 mm x 210 mm



UK22
230 mm x 230 mm



UK23
290 mm x 290 mm



UK24
270 mm x 270 mm



UK25
210 mm x 210 mm



UK26
220 mm x 220 mm



UK27
240 mm x 240 mm



UK28
240 mm x 240 mm

BOSSES




BOSS 1



BOSS 2



BOSS 3




BOSS 4




BOSS 5


FIRESURROUNDS




ADAMS OVERMANTEL




LOUIS



ADAMS



REGENCY



TUDOR



PLAIN
Adjustable Dimensions

PILASTERS

P1
H: 2500 mm
W: 150 mm

P2
H: 2420 mm
W: 125 mm

P3
H: 2135 mm
W: 162 mm

P4
H: 2165 mm
W: 70 mm

P5
H: 2400 mm
W: 115 mm

P6
H: 2135 mm
W: 120 mm

STAFF MOULD
50 x 50mm
x 3m

P7
H: 2400 mm
W: 280 mm

P8
(Wrap Around)
H: 2200 mm
W: 170 mm
Wall Opening:
140/300
Like P3

INTER-CHANGEABLE CAPITAL

300mm
P8

140mm
P8

WALL NICHE

WALL NICHE
840 mm x 650 mm
Detail

WALL NICHE
1100 mm x 650 mm

NIC 1
1100 mm x 650 mm

NIC 2
1100 mm x 650 mm

SHORT COLUMNS

EXAMPLES OF COLUMNS SHORTENED TO SUIT APPLICATION

COLUMNS



COL1
FLUTED
CORINTHIAN
127 mm Dia.
Up to 2.7 m




COL2
PLAIN
DORIC
150 mm Dia.
Up to 2.75 m



COL3
FLUTED
SQUARE
125 mm Dia.
Up to 2.0 m



COL4
PLAIN
CORINTHIAN
200 mm Dia.
Up to 2.75 m



COL5
FLUTED
IONIC
200 mm Dia.
Up to 3.38 m



COL6
FLUTED
IONIC
254 mm Dia.
Up to 3.34 m



COL7
FLUTED
CORINTHIAN
254 mm Dia.
Up to 3.34 m



COL8
PLAIN
DORIC
254 mm Dia.
Up to 3.3 m



COL9
PLAIN
DORIC
300 mm Dia.
Up to 2.95 m



COL10
FLUTED
IONIC
350 mm Dia.
Up to 3.15 m



COL11
FLUTED
IONIC
230 mm Dia.
Up to 2.65 m

LARGE BASES




SCOL9
250 mm, 340 mm, 420 mm dia.
Up to 4 m high



SCOL10
475 mm dia. 770 mm high

ARCHES



UA1 165 mm Wall Thickness – Up To 2750 mm Opening

UA2 140 mm Wall Thickness – Up To 2950 mm Opening


Complete with Corbel.




UA9
120 mm Wall Thickness
Up to 940 mm Opening



UA10
130 mm Wall Thickness
Up To 1070 mm Opening



STAFF MOULD ARCH
Various Sizes



ELLIPTICAL CURVED TOP

UA6 270 mm Wall Thickness – Up To 3.2 m Opening

UA11 130 mm Wall Thickness – Up To 3.2 m Opening

ELLIPTICAL STRAIGHT TOP

UA7 For 200 mm Wall Thickness – Up To 3 m Opening

UA12 For 130 mm Wall Thickness – Up To 3 m Opening

Special size arches can be made to suit any size wall opening and thickness, on request.

Corbels and Arch Plates sold separately.

ARCH PLATES



PL1
200 mm x 200 mm



PL2
200 mm x 200 mm



PL3
300 mm, 360 mm,
420 mm x 150 mm



PL4
360 mm x 185 mm



PL5
260 mm x 265 mm

Arch plates are used under an arch for the arch to land on. The plates are then usually supported by either a corbel or a pilaster.

PEDIMENTS

Pediments are "Headers" fitted above doors, wall openings and feature walls. They enhance the appearance of an opening by softening the "cut out" look and work exceptionally well with Architraves and Pilasters.



L3
H: 320 mm x W: Min. 920, Max. 2500 mm Long



L4
H: 310 mm x W: 1081 mm



L8
H: 235 mm x D: 140 mm. Up To 3600 mm Long



L10
H: 290 mm x W: 1040 mm



L11
H: 450 mm x W: 1600 mm



L12
H: 330 mm x W: 1455 mm



L5
H: 65 mm x W: 2560 mm



L9
H: 480 mm x W: 1730 mm



L1
H: 305 mm x W: 1725 mm

SCONCES

Sconces make beautiful wall light surrounds. They can be painted to suit your decor.



SCN1



SCN2



SCN3



SCN4

LARGE CAPITALS

The most common use of these capitals other than special jobs is for glass top coffee tables and can be painted and decorated to suit your needs.



CAP 1
CORINTHIAN
H: 550 mm x W: 720 mm
Base: 400 mm dia.



CAP 2
SQUARE IONIC
H: 535 mm x W: 570 mm
Base: 410 mm dia.



CAP 3
IONIC
H: 540 mm x W: 720 mm
Base: 520 mm dia.


PANELS



ORNATE WARATAH 1A
920 mm x 920 mm



ORNATE WARATAH 1B
920 mm x 920 mm



LYRE BIRD 2A
920 mm x 920 mm




LYRE BIRD 2B
920 mm x 920 mm




HERITAGE FLUTES 3
900 mm x 900 mm



SUNFLOWER CROSS 4
930 mm x 930 mm



LEAF & SCROLL 5A
1000 mm x 1000 mm




LEAF & SCROLL 5B
1000 mm x 1000 mm



SCROLL (Surface Panel) 6
680 mm x 770 mm



STD WARATAH 10A
920 mm x 920 mm



AUSTRALIANA 11A
930 mm x 930 mm



AUSTRALIANA 11B
930 mm x 930 mm



HERITAGE 12
920 mm x 920 mm



LYRE BIRD REPETITIVE 13
920 mm x 920 mm




CLASSIC ROSE 14A
930 mm x 930 mm



CLASSIC ROSE 14B
930 mm x 930 mm

PANELS



CABBAGE LEAF 17A
920 mm x 920 mm




CABBAGE LEAF LINK 17B
920 mm x 920 mm



DECO SWIRL 20A
1370 mm x 1370 mm




DECO SWIRL LINK 20B
1370 mm x 1370 mm




DECO WARATAH 22A
1200 mm x 1200 mm



CALIFORNIAN BROOCH 24A
1370 mm x 1370 mm




CALIFORNIAN BROOCH LINK 24B
1370 mm x 1370 mm



FLOWERS ON STEMS 28
1370 mm x 1370 mm



BOW & DROP HALL 25A
1070 mm x 920 mm




BOW & DROP HALL 25B
1070 mm x 920 mm




KIMBERLY 27A
1370 mm x 1370 mm




KIMBERLY 27B
1370 mm x 1370 mm



DAISY HALL 30A
920 mm x 1120 mm



DAISY HALL LINK 30B
920 mm x 1120 mm



DIAMOND FLEURDELYS 31A
1220 mm x 1220 mm



FRENCH 36
920 mm x 920 mm

PANELS



FRENCH AND SQUARES 37
920 mm x 920 mm



BOWLS OF FRUIT 38
860 mm x 860 mm



FEDERATION URNS 40
920 mm x 920 mm



SUN CENTRE 43
1520 mm x 1520 mm



THISTLE AND CLOVER 44
920 mm x 920 mm



WILD ROSE 46A
920 mm x 920 mm



WILD ROSE 46B
920 mm x 920 mm



TUDOR HEARTS 47
920 mm x 920 mm



PEACOCKS IN A RING 50
920 mm x 920 mm



PINEAPPLE 51A
920 mm x 920 mm



PINEAPPLE 51B
920 mm x 920 mm



DECO HALL END 54A
1400 mm x 920 mm



CLIMBING ROSE 55A
920 mm x 920 mm



CLASSIC ROSE 55B
920 mm x 920 mm



CIRCLE & SUN 56
920 mm x 920 mm



DARLING POINT 35
920 mm x 920 mm

PANELS



MODIFIED SCROLL 59
920 mm x 920 mm



WARATAH ON LATTICE 61A
1200 mm x 1200 mm



WARATAH ON LATTICE 61B
1200 mm x 1200 mm



QUARTER PANEL 58
1215 mm x 1835 mm



FEDAERATION APPLIES 62A
920 mm x 920 mm




FEDAERATION APPLIES 62B
920 mm x 920 mm



CABBAGE LEAF HALL PANEL 18
1600 mm x 1200 mm



KENSINGTON 19
1400 mm x 1070 mm



COFFERED CEILING 8
610 mm x 1830 mm


PANELS




ADAMS
2755 mm x 1400 mm x 13 mm Each Half



RECTANGULAR SCROLL (Surface Panel) 7
710 mm x 1530 mm



WALL PANEL 9
1200 mm x 800 mm



DRAWING ROOM
2100 mm x 1350 mm Each Half



GRAPES 15A
920 mm x 920 mm



GRAPES 15B
920 mm x 920 mm

DOMES



DOME UP3
980 mm x 210 mm



DOME UP6
1070 mm x 225 mm



DOME UP7
1050 mm x 250 mm

UNIQUE PLASTER



Unique interior and exterior decorative mouldings
See our full range at www.uniqueplaster.com.au



- Large showroom, huge range of styles and designs.
- Factory direct prices.
- Exterior lightweight bands and corbels.
- Stock ready to pick up. Delivery available.
- Experienced sales staff to advise on products.
- Reproduction of existing styles.
- Parking available.

PLASTER • CORNICES • CEILING ROSES • ARCHES • DECORATIVE CEILINGS
• FIRE SURROUNDS • ARCHES • COLUMNS • VENTS • BANDS
• DOMES • PILASTERS • WALL FEATURES

EXTERIOR • LIGHTWEIGHT WINDOW BANDS & SILLS • CORBELS • STRINGERS

59 Campbell Street, St Peters, NSW 2044
(Opposite Church Street)

Phone: (02) 9550 5440 Fax: (02) 9550 5445
Email: sales@uniqueplaster.com.au